

兔抗 ELAC2 多克隆抗体

中文名称：兔抗 ELAC2 多克隆抗体

英文名称：Anti-ELAC2 rabbit polyclonal antibody

别名：ELC2; HPC2; COXPD17

相关类别：一抗

储存：冷冻（-20℃）

抗原：ELAC2

宿主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene has a C-terminal domain with tRNA 3' processing endoribonuclease activity, which catalyzes the removal of the 3' trailer from precursor tRNAs. The protein also interacts with activated Smad family member 2 (Smad2) and its nuclear partner forkhead box H1 (also known as FAST-1), and reduced expression can suppress transforming growth factor-beta induced growth arrest. Mutations in this gene result in an increased risk of prostate cancer. Multiple transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC

Name of antibody:	ELAC2
Immunogen:	Fusion protein of human ELAC2
Full name:	elaC ribonuclease Z 2
Synonyms:	ELC2; HPC2; COXPD17
SwissProt:	Q9BQ52
IHC positive control:	Human gastric cancer and human liver cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	92 kDa
WB Positive control:	LoVo and Hela cells
WB Recommended dilution:	200-1000



