

兔抗 COX4I1 多克隆抗体

中文名称: 兔抗 COX4I1 多克隆抗体

英文名称: Anti-COX4I1 rabbit polyclonal antibody

别 名: COX4; COXIV; COX4-1

储 存: 冷冻(-20℃)

抗 原: COX4I1

宿 主: Rabbit

相关类别: 一抗

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:

Cytochrome c oxidase (COX) is the terminal enzyme of the mitochondrial respiratory chain. It is a multi-subunit enzym e complex that couples the transfer of electrons from cyto chrome c to molecular oxygen and contributes to a proton electrochemical gradient across the inner mitochondrial me mbrane. The complex consists of 13 mitochondrial- and nu clear-encoded subunits. The mitochondrially-encoded subunits perform the electron transfer and proton pumping activities. The functions of the nuclear-encoded subunits are un known but they may play a role in the regulation and ass embly of the complex. This gene encodes the nuclear-encoded subunit IV isoform 1 of the human mitochondrial resp



	iratory chain enzyme. It is located at the 3' of the NOC4 (neighbor of COX4) gene in a head-to-head orientation, and shares a promoter with it.
Applications:	ELISA, WB, IHC
Name of antibody:	COX4I1
Immunogen:	Synthetic peptide of human COX4I1
Full name:	cytochrome c oxidase subunit IV isoform 1
Synonyms:	COX4; COXIV; COX4-1
SwissProt:	P13073
IHC positive control:	Human tonsil and human prostate cancer
IHC Recommend dilution:	20-100
WB Predicted band size:	20 kDa
WB Positive control:	NIH/3T3,Hela and 293T cell lysates
WB Recommended dilution:	500-2000









